

exterior

Max Exterior
Panels

Surface
Gloss/Matt

for
people
who
create

Max Exterior Panels

Surface NG(Gloss)/NM(Matt)

FunderMax introduces a new combination of surface finishes for Max Exterior panels. The front side is produced with a Gloss (NG) finish, and the rear side with a Matt (NM) finish. Both sides with the same decor. Side by side the finishes create different effects.

Many interesting visuals can be created by using both finishes on the same project.

NG (Gloss) and NM (Matt) have the same superior physical properties for which Max Exterior panels are known.

- Format** 2800 x 1850 mm
- Thicknesses** 8, 10, 12 mm
- Surface** front side: NG (Gloss)
rear side: NM (Matt)
- Protection foil** front side: NG - colourless transparent
rear side: NM - blue transparent
- Decors** all plain-colours, Creative-decors, wood-decors and Metallics from the current Max Exterior Collection.

Advantages of Max Exterior Compact panels:

- optimal light-fastness
- double hardened surface
- extremely weather resistant
- solvent resistant
- scratch resistant
- impact resistant
- longlasting
- standardised quality (acc. EN 438, Type EDF)



Surface effect with decor 0077 (left NM Matt and right NG Gloss)



Portal design with NG surface



Balcony cladding/-design with NG surface



Facade detail of corner and joints with NG surface



Facade cladding NG surface



Flying roof/soffit with NG surface



Facade cladding with NM surface

Many fields of applications

- _ Backventilated facades
- _ Soffits
- _ Portal designs
- _ Balcony cladding

Installation

An optimal mounting of Max Exterior panels with NG/NM surfaces is secret fixing by glued fastening.

FunderMax France
3 Cours Albert Thomas
F-69003 LYON
Tel.: + 33 (0) 4 78 68 28 31
Fax: + 33 (0) 4 78 85 18 56
infofrance@fundermax.at
www.fundermax.at

FunderMax India Pvt. Ltd.
504, 5th floor, Brigade Towers
135, Brigade Road,
IND-560025 Bangalore
Tel.: + 91 80 41117004
Fax: + 91 80 41127053
officeindia@fundermax.biz
www.fundermax.biz

JAGO AG
Industriestrasse 21
CH-5314 Kleindöttingen
Tel.: + 41 (0) 56-268 81 31
Fax: + 41 (0) 56-268 81 51
info@jago.ch
www.jago.ch

ISOVOLTA S. A.U
Avda. Salvatella, 85-97
Poligono Industrial Can Salvatella
E-08210 Barberà del Vallès (Barcelona)
Tel.: + 34-937 297 550
Fax: + 34-937 190 511
info@isovolta.es
www.isovolta.es

ISO-MAX Spółka Akcyjna
ul. Rybitwy 12
PL-30 722 Krakau
Tel.: + 48-12-65 34 528
Fax: + 48-12-65 70 545
biuro@iso-max.com.pl
www.iso-max.com.pl

FUNDERMAX®

FunderMax GmbH
Klagenfurter Straße 87-89
A-9300 St. Veit/Glan

Tel.: +43 (0)5/9494-0
Fax: +43 (0)5/9494-4200
office@fundermax.at
www.fundermax.at