



aluminium door panels

VIVALDA
bringing construction to life®

aluminium door panels

VIVALDA COMPOSITES: *A fresh approach to the provision of aluminium door panels.*

Vivalda ensures the use of premium materials and fabrication methods to bring unrivalled standards to the door panel market. The design creates a competitively priced, premium product alternative aimed at installers looking for service, reliability and innovation.

REASONS TO CHOOSE VIVALDA DOOR PANELS?

DURABILITY

All doors are manufactured using 1.5mm aluminium sheet as standard.

REINFORCEMENT

Vivalda uses a fibre cement board in every door construction to give added strength and stability.

ROBUST

All doors incorporate returned edges, eradicating paint flaking and improving product security.

RELIABLE

From order to final delivery, fulfilment is guaranteed.


TOTAL CONTROL

We own and manage our supply chain - from design, to fabrication, to delivery - to your door.

UNRIVALLED COLOURS

We stock a wide range of readily available colours.

PANEL CONSTRUCTION



Polyester Powder coating

Thanks to its long-standing association with suppliers such as Akzo Nobel and Axalta, Vivalda offer all standard colours. Our PPC products are quality assured through the global Qualicoat accreditation system.

1.5mm Aluminium

Vivalda use 1.5mm aluminium as standard. The enclosed edges increase stability and prevent paint from flaking at the edges. Grooved panels do not have enclosed edges due to the nature of the manufacturing process.

3.2mm Fibre Cement Board

The door panels benefit from using 3.2mm fibre cement boards as they provide a durable, dimensionally stable and impact-resistant material that will withstand extreme climates as well as resist rot and fungus.

Polyfoam (XPS) Insulation

Polyfoam Laminating Board is a rigid extruded polystyrene board that is lightweight, has excellent structural strength and is resistant to moisture absorption.


STANDARD PANEL RANGE

Bespoke designs are available upon request.


**ALL DOOR PANELS ARE
AVAILABLE CUT TO SIZE**
STD - UP TO 1900MM X 800MM
PLUS - UP TO 2100MM X 900MM
XL - UP TO 2500MM X 1250MM

SOLID

FETLAR




V



H

BRYHER



ORKNEY



get in touch

To discuss your first order with Vivalda Composites call Alix or Rachael:

01482 310865
composites@vivalda.co.uk

VIVALDA
bringing construction to life®


Grooved panels do not have enclosed edges due to the nature of the manufacturing process.

aluminium door panels


ALL DOOR PANELS ARE
AVAILABLE CUT TO SIZE
STD - UP TO 1900MM X 800MM
PLUS - UP TO 2100MM X 900MM
XL - UP TO 2500MM X 1250MM

GLAZED


LUNDY




JURA




HOY




TRESCO




WALNEY



CANVEY



BARRA



aluminium door panels

get in touch

composites@vivalda.co.uk
01482 310865

VIVALDA
bringing construction to life®